

2003 Designer® Camping Trailers


Introducing the  
**2003 DESIGNER®**  
Camping Trailers

True Seamless Fiberglass Roof.



Family owned. Family focused.

# 2003 Designer® Camping Trailers Floor Plans




## Designer Camping Trailers Specifications


Model	Unloaded Vehicle Weight	Hitch Weight	Gross Vehicle Weight Rating
12 F1	2505	225	3375
12 F3	2560	280	3375
12 F4	N/A	N/A	N/A
12 F5	2525	345	3375

Model	Tire Size	Total Cargo Capacity	Fresh Water Capacity (gals.)
12 F1	ST185/80R 13 C	870	17
12 F3	ST185/80R 13 C	815	17
12 F4	5.30X12 C	N/A	17
12 F5	ST185/80R 13 C	850	17

Model	Cargo Capacity w/Options & Liquids	Exterior Overall Length
12 F1	295	19' 4"
12 F3	245	19' 4"
12 F4	N/A	N/A
12 F5	304	19' 4"

Model	Exterior Length w/o Hitch	Exterior Width	Sleeping Capacity
12 F1	16'	85"	7
12 F3	16'	85"	7
12 F4	N/A	85"	7
12 F5	16'	85"	6





## 2003 Designer® Camping Trailers Standards and Options

### Standard Exterior Features

Crank-down stabilizer jacks with sand pads (4)  
High-flotation C-Range 13" tires (all 12' models)  
High-flotation C-Range 12" tires (14' model)  
Outside porch light with awning light adapter  
Clearance lights (11)  
36-ft. 30-amp power cord  
110V G.F.C.I. protected exterior receptacle  
Heavy-duty A-frame leveling jack  
Entrance door opens when roof is down  
Wide-body construction  
Front trunk storage (12F1, 12F3, 12F5)  
Light in front trunk  
Prep for battery  
Lifter post covers  
Patented, fully enclosed lifter system  
20-lb. LP gas bottle  
One-piece/fiberglass domed roof  
Fiberglass front/rear body panels  
Fiberglass LP gas bottle cover  
TruForm® scratch-resistant finish  
E-Coat™ frame protection  
Self-storing step  
Boltaflex CT™ water-repellent tent material  
Undercoated, edge-sealed  
Structurwood® floor  
Electric brakes  
E-Z Lube® axles  
One-piece entrance door  
Color-coordinated radius skirting

### Standard Interior Features

Fire extinguisher  
LP leak detector  
Monitor panel  
Wall-to-wall, Armstrong®  
Tough Guard™ linoleum  
Real wood drawers with nylon guides  
Pewter door pulls with roller catch  
4"-thick end-bunk cushions  
Reversible, non-slide 4" dinette cushions with easy clean vinyl backs  
SoftShade™ window shades and valances

Tinted windows  
12V high-intensity lighting  
Automatic cut-off switch for interior lights  
110V G.F.C.I. protected interior receptacles  
Mildew-resistant aluminum ceiling  
14" x 14" roof vent  
End-bunk privacy curtains  
Adjustable-tension end bows  
Bed flaps  
Quilted bunk mattress  
Cassette toilet (12F3)  
Swing-level galley (n/a 14F4)  
Hinged dinette seat bases

### Standard Galley Features

Large acrylic sink with demand faucet  
2.5-cu.-ft. 110V/ 12V/ LP gas refrigerator  
White-enamel carryout stove (3-burner)  
Pre-plumbed for LP gas appliances  
Carryout dinette table  
12V electrical system with 20-amp.  
110V electronic converter  
City water hookup (country fill)  
Fresh water tank below floor

### Optional Features

Convenience group  
Hydraulic surge brakes  
J-Flex™ sofa (12F3)  
Power attic fan\*  
Bunk-end light with fan (1)  
Bunk-end light with fan (2)  
Bath shower (12F1, 14F4)  
(includes water heater, deluxe plumbing, o/s shower)  
Cassette toilet (14F4)  
Deluxe plumbing package  
(includes water heater, demand pump, o/s shower)  
SofStor™ overhead storage (1)  
SofStor™ overhead storage (2)  
SofStor™ wardrobe storage (small) (12F3, 12F5)  
SofStor™ wardrobe storage (large) (12F1, 12F4)  
A/C prep  
16,000 BTU furnace with auto ignition  
Canopy  
Screen room  
Deluxe screen room  
SofStor™ organizer  
OutStor™ storage package  
Bunk skirt  
Portable grey water tank  
Sink cover  
Cable & TV jack  
30-amp converter  
Water purifier  
Outside grill  
Spice rack  
AM/FM cassette stereo\*  
AM/FM CD stereo\*  
KidStuf™ bunk organizer  
Founder's Edition Package  
(sink cover, spice rack, silverware drawer, polished aluminum rims, fitted bed sheets & pillow cases, storage shelf (2), graphic insignia)  
Spare tire

\* Note: 30-amp converter required

