
JAY FLIGHT SWIFT TRAVEL TRAILERS BY JAYCO



SIZE



SAY HELLO TO THE JAY FLIGHT SWIFT SLX — MADE FOR MINIVANS, CROSSOVERS AND FAMILIES

Weighing in under 2,740 pounds, Swift SLX takes everything America loves about the Jay Flight and packages it in a lightweight design, towable by most minivans and crossovers.*

GOT what it takes TO TOW A JAY FLIGHT SWIFT SLX?

A FEW OF THE MANY VEHICLES UP TO THE **JAY FLIGHT SWIFT SLX** CHALLENGE.

* Can tow all Swift SLX models. Consult with your authorized automobile manufacturer or vehicle owner's manual; some models require a tow package.



MINIVANS*

Honda Odyssey 3.5L V-6 Toyota Sienna 3.5L V-6 Nissan Quest 3.5L V-6 Kia Sedona 3.8L V-6 Dodge Grand Caravan 3.6L V-6 Chrysler Town & Country 3.6L V-6



CROSSOVERS*

Suzuki Grand Vitara 2.4L I-4
Ford Escape 3.0L V-6
Chevrolet Equinox 3.0L V-6
GMC Terrain 3.0L V-6
Mitsubishi Outlander FWD 3.0L V-6
Toyota RAV4 3.5L V-6
Kia Sorento 3.5L V-6
Hyundai Santa Fe 3.5L V-6
Jeep Wrangler Unlimited 3.6L V-6



YOU WANT PEACE OF MIND

That's why we offer our exclusive 2-year Co-Pilot Warranty, the industry's best and most comprehensive warranty program.

PRICE



MEET THE JAY FLIGHT SWIFT — MADE FOR COMFORT AND VALUE AT AN AFFORDABLE PRICE

Big on features your family will love—at a price your family can afford—Jay Flight Swift continues Jayco's long tradition of putting family first.

affordable COMFORT IN THE JAY FLIGHT SWIFT



WITH YOUR PURCHASE

Every Jayco RV undergoes rigorous quality control testing before it leaves the factory, so you can be confident your new Jayco will continue to provide the ultimate in reliability for years to come.



TO LEARN MORE ABOUT
OUR QUALITY CONTROL
TESTING, SCAN HERE WITH
YOUR SMARTPHONE.



Don't let its light weight fool you. Jay Flight Swift SLX may be nimble in nature, but it's certainly not light on amenities. With a 2-burner range, 3 cu. ft. refrigerator and microwave oven, Swift SLX packs a full-featured kitchen in a towable design.*

^{*} Consult with your authorized automobile manufacturer or vehicle owner's manual.







AMPLE STORAGE

Spacious wardrobes, stunning Amish-crafted hardwood cabinetry and well-designed floorplans maximize storage space.

EXPANDABLE SLEEPING

Sleep the whole family thanks to convertible dinettes, select model bunk beds or Swift SLX's 165RB expandable bunk end. Featuring DuraTek water-repellent tent material, 5" bed mats and reversed cambered support rated for 1,100 pounds, the 165RB is our most spacious SLX floorplan yet.





Swift continues Jay Flight's long tradition of putting family first thanks to space-saving floorplans, a long list of standard amenities and a super affordable price. Our stunning Amish-crafted hardwood cabinetry and Jayco-made furniture are proof you won't have to sacrifice quality or comfort when you go camping.



WELL EQUIPPED

Enjoy simple comforts, like the energy-efficient Atwood appliance collection, standard air conditioning and Multi-Media Premium Sound System with AM/FM/CD stereo.

ROOM TO REST

With three floorplans, there's a sleeping arrangement for you, thanks to a private bedroom, bunk beds, convertible table and sleeper J-Steel sofa.


REFRESHING AMENITIES

JAY FLIGHT SWIFT 267BHS

Wash up in the Swift's bathroom, complete with marine toilet, tub/shower combo and skylight.




JAY FLIGHT SWIFT SLX FLOORPLANS



JAY FLIGHT SWIFT SLX | 145RB

Ext. Lgth: 16' 6" Ext. Ht: 99" Unloaded Wt (lbs.): 2,285 Sleeps: 2-3




JAY FLIGHT SWIFT SLX | 165RB

Ext. Lgth: 18' 10" Ext. Ht: 101" Unloaded Wt (lbs.): 2,645 Sleeps: 3-4




JAY FLIGHT SWIFT SLX | 185RB

Ext. Lgth: 20' Ext. Ht: 101" Unloaded Wt (lbs.): 2,740 Sleeps: 3



JAY FLIGHT SWIFT SLX | 154BH

Ext. Lgth: 17' 10" Ext. Ht: 99" Unloaded Wt (lbs.): 2,450 Sleeps: 3-4



JAY FLIGHT SWIFT SLX | 184BH

Ext. Lgth: 20' Ext. Ht: 101" Unloaded Wt (lbs.): 2,690 Sleeps: 4-5

FLOORPLAN KEY

OUTSIDE STORAGE

MICRO

MICROWAVE

0

TRAILER HITCH BATHROOM SINK LAV

OVERHEAD CABINETS OHC FRIDGE REFRIGERATOR

WARDROBE WARD

STANDARDS AND OPTIONS

STANDARD EXTERIOR EQUIPMENT

8 1/2' exterior height

.024 mesa crimp exterior aluminum

4" cambered steel box tube frame

5/8" seamless floor decking

One-piece, seamless Alpha ply roof material

Patio awning

Amber patio light

Clamp ring, safety-glass windows with

automotive gasket seals

Radial tires

Galvanized-steel, impact-resistant wheel wells Radius-cornered entrance and baggage doors

Double-wide corner mold extrusions

Fully integrated A-frame

Aerodynamic front profile

Front diamond plate

Front window with integrated rock guard DuraTek water-repellent, scratch-resistant,

vinyl tent material with zipper windows (165RB)

Powder coated shepherd's hook tent framing (165RB)

30-amp service

Single 20-lb. propane bottle

STANDARD INTERIOR EQUIPMENT Screwed-and-glued Glazed Concord

Cherry cabinetry

Wardrobe/pantry storage

Ball bearing drawer guides throughout, 75-lb. capacity with full extension

Laminate countertops with T-mold edging

Acrylic sink

2-burner range with range hood/exhaust fan

3 cu. ft. Norcold refrigerator

Microwave oven

6 gal. gas Atwood water heater

Wall-mount A/C

High-efficiency Atwood furnace

Multi-Media Premium Sound System with

MP3/iPod input jacks

Jayco-made dinette cushions

and window treatments

Indoor/outdoor dinette table

Plywood bunk, dinette and bunk platforms

Pleated shades throughout

Vinyl flooring

Marine toilet with hand flush

Shower curtain with curved shower rack (select models)

Wood trimmed mirror in bathroom

300-lb. rated bunk beds (select models)

4" bunk mats (select models)


5" high density foam tent mat (165RB)

Under-bed storage on main beds

SPECIFICATIONS


FLOORPLAN	EXTERIOR LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	VEHICLE WEIGHT (LBS.)	DRY HITCH WEIGHT (LBS.)	GROSS VEHICLE WEIGHT RATING (LBS.)	CARGO CARRYING CAPACITY (LBS.)	FRESH WATER CAPACITY (GAL.) (WITH WATER HEATER)	GRAY WASTEWATER CAPACITY (GAL.)	TOILET/BLACK WASTEWATER CAPACITY (GAL.)
145RB	16' 6"	85"	99"	73"	2,285	235	2,950	665	16	15	9
154BH	17' 10"	85"	99"	73"	2,450	260	3,200	750	16	15	9
165RB	18' 10"	85"	101"	73"	2,645	230	3,500	855	16	15	9
184BH	20'	85"	101"	73"	2,690	305	3,500	810	26	15	9
185RB	20'	85"	101"	73"	2,740	310	3,500	760	26	15	9

JAY FLIGHT SWIFT FLOORPLANS



JAY FLIGHT SWIFT | 198RD

Ext. Lgth: 23' 1" Ext. Ht: 128" Unloaded Wt (lbs.): 3,720 Sleeps: 4-7




JAY FLIGHT SWIFT | 267BHS

Ext. Lgth: 29' 11" Ext. Ht: 133" Unloaded Wt. (lbs.): 5,315 Sleeps: 7-10

OPTIONS: B, C WARD FRIDGE MED FRIDGE MED FRIDGE MARD GUEEN BED BUNK BED OHC WARD WARD S 16' AWWING S S


JAY FLIGHT SWIFT | 264BH

Ext. Lgth: 29' 1" Ext. Ht: 128" Unloaded Wt. (lbs.): 4,325 Sleeps: 7-9



JAY FLIGHT SWIFT | 294BHS

Ext. Lgth: 33' 3" Ext. Ht: 134" Unloaded Wt. (lbs.): 5,805 Sleeps: 7-9



STANDARDS AND OPTIONS

STANDARD EXTERIOR EQUIPMENT

.024 mesa crimp exterior aluminum

I-Class cambered structural steel I-beam frame 5/8" tongue and groove plywood flooring

Magnum roof system

One-piece, seamless Alpha ply roof material Patio awning

Radius-cornered entrance door with window

Amber patio light

Clamp ring, safety-glass windows with

Clamp ring, safety-glass windows with automotive gasket seals

Radial tires

Galvanized-steel, impact-resistant wheel wells E-Z Lube axles

Radius-cornered baggage doors

Double-wide corner mold extrusions

Fully integrated A-frame

Aerodynamic front profile

Electric powered slideouts (267BHS, 294BHS)

30-amp service

Dual 20-lb. propane bottles

Stabilizer jacks with sand pads (267BHS, 294BHS)

STANDARD INTERIOR EQUIPMENT

Screwed-and-glued Glazed Concord Cherry cabinetry

Large overhead cabinetry

Removable shelves in pantry/wardrobe

(select models)
Ball bearing drawer guides throughout,

75-lb. capacity with full extension

Laminate countertops with T-mold edging Deep-bowl, 60/40 acrylic kitchen sink

with high-rise faucet

Metal alloy faucet fittings

3-burner range with 9,000-BTU SuperBurner with range hood and exhaust fan

5 cu. ft. Norcold refrigerator with external temperature controls

6 gal. gas Atwood water heater High-efficiency Atwood furnace

Multi-Media Premium Sound System with MP3/iPod input jacks

Jayco-made dinette cushions and window treatments

Plywood bunk, dinette and bunk platforms
Pleated shades throughout

Vinyl flooring

J-Steel jack-knife sofa (select models)

Marine toilet with hand flush

Power bath fan

Shower curtain with curved shower rack (select models)

Wood trimmed mirror in bathrooms

300-lb. rated bunk beds (select models)
4" quilted bunk mats (select models)

Shirt wardrobes in bedrooms

Under-bed storage on main beds

CUSTOMER VALUE PACKAGE

13,500-BTU A/C

Cable/satellite TV hookup

Digital TV antenna

Water heater bypass

Microwave

Bedspread

CONVENIENCE PACKAGE

Outside shower

4 stabilizer jacks (standard 267BHS, 294BHS) 6.3 cu. ft. Norcold double-door refrigerator

6 gal. gas/electric DSI Atwood water heater ABS tub surround

OPTIONS

Power Package: Adjustable power awning and power tongue jacks

Spare tire with carrier

Chil N' Stor outside baggage compartment with 1.7 cu. ft. refrigerator (select models)

Convenience Package (select models)

Customer Value Package with 15,000-BTU A/C

Entertainment Package: DVD with iPod and exterior speakers

Double bunk over double bed (264BH, 267BHS)

Queen bed with bunk (198RD)



FOR A COMPLETE LIST OF STANDARDS AND OPTIONS, SCAN HERE WITH YOUR SMARTPHONE OR VISIT JAYCO.COM.

SPECIFICATIONS

FLOORPLAN	EXTERIOR LENGTH	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	VEHICLE WEIGHT (LBS.)	DRY HITCH WEIGHT (LBS.)	VEHICLE WEIGHT RATING (LBS.)	CARRYING CAPACITY (LBS.)	CAPACITY (GAL.) (WITH WATER HEATER)	GRAY WASTEWATER CAPACITY (GAL.)	TOILET/BLACK WASTEWATER CAPACITY (GAL.)
198RD	23' 1"	96"	128"	81"	3,720	480	5,900	2,180	48.2	32.5	32.5
264BH	29' 1"	96"	128"	81"	4,325	500	6,500	2,175	48.2	32.5	32.5
267BHS	29' 11"	96"	133"	81"	5,315	675	7,500	2,185	44	39	39
294BHS	33' 3"	96"	134"	81"	5 805	710	8 000	2 195	44	39	39



At Jayco, we've built a reputation for superior construction and quality craftsmanship. We pride ourselves on always using top-quality materials and innovative manufacturing techniques. That commitment has led to our latest construction advancement, the all-new exclusive Magnum Roof System, 50 percent stronger than other roofs in the industry, built to outlast everything but your memories.

ROOF CONSTRUCTION

- 1 4 1/2" crowned wood trusses: Uses 2"x 2" vertical studs to maximize load capacity, while oversized nail plates provide a tighter design (2" x 3" solid, tapered trusses on SLX)
- 2 3/8" roof decking, screwed down at every seam: More durable than typical stapled construction, provides fully walkable roof
- 3 Residential attic-style insulation: Maintains interior temperatures while allowing for room to run wiring, reducing risky electrical shorts
- 4 One-piece, sidewall-wrapped Alpha Ply material: Provides leak protection



WALL CONSTRUCTION

- 5 2" x 2" wooden studs: Creates Jay Flight Swift's long-lasting framework
- 6 Hand-tucked and glued fiberglass insulation (R-7): Prevents insulation from sagging over time (vs. blanket-insulation technique), while helping increase insulation value near studs
- 7 Extra-wide corner seals: Prevents leaks on the corner molds, baggage and entrance doors and window seals

FLOOR CONSTRUCTION

- 8 Wall-to-wall vinyl flooring: Wipes up easily, a perfect fit for families
- 9 5/8" decking on 2" x 3" wooden joists: Creates a solid foundation
- 10 Fiberglass insulation (R-7): Maintains interior temperatures
- 11 Full-width outriggers: Supports wall weight with 4-foot spacing (vs. 8-foot spacing) and wall-to-wall, full-width design

OTHER FEATURES

- 12 Galvanized-steel wheel wells (select models): Reduces heat loss through floor; prevents floor damage in case of a blown tire
- **13** Integrated A-frame: Runs through frame, preventing hitch from buckling because it isn't tack welded
- 14 Innovative, aerodynamic front profile: Eliminates angled profile, increasing towability





SWIFT SLX towability

Jay Flight Swift SLX is built for the ultimate towing experience thanks to innovative design.



7-FEET WIDE The view from behind is just as nice. Built at 7-feet wide the Swift SLX is easy to see around when towing.

8 1/2-FEET TALL Quit paying to store your RV. Less than 8 1/2-feet tall, SLX can fit into most residential garages.

2,285-2,740 POUNDS Super towable, Jay Flight Swift SLX is easy on gas mileage.



SIDE-MOUNTED AIR CONDITIONER

Eliminate drag while increasing towability thanks to a standard wall-mounted air conditioner.

JAY FLIGHT SWIFT features

Jay Flight Swift comes with a host of standard features not typically found at this price.



PLEATED SHADES Pleated night shades, more durable than metal blinds, are designed to hold up to years of use.

EASY SETUP Four stabilizer jacks create a more balanced RV (standard on 267BHS, part of the Convenience Package on 198RD and 264BH).

METAL ALLOY FITTINGS Say goodbye to leaky faucets, the most warrantied item in a typical RV, thanks to Swift's metal alloy fittings.



THE Jayco family STORY

THE JAYCO STORY BEGAN IN 1968 WITH OUR FAMILY—THE BONTRAGERS.

Lloyd Bontrager created an innovative, easy-to-use lifter system that led to a better fold-down camper. Loaded with more conveniences, he believed his camper would bring families closer together.

Since then, the Jayco family has grown. From our factory to our front office, from our salespeople to our suppliers, our family bond is four decades strong with the support of more than 300 Jayco dealers.

Together, we're helping make new family stories. YOUR FAMILY STORY.

welcome to the Jayco family



Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you enjoy working with them as much as we do.



Travel worry-free with Jayco's Customer First Roadside Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net, the largest RV emergency road service in the country, and gives you immediate access to dependable roadside assistance and support services with a simple phone call.



Jayco proudly sponsors Tread Lightly!, a nonprofit organization whose mission is to empower generations to enjoy the outdoors responsibly through education and restriction.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GWWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GWWR is equal to or greater than the sum of the UVW and the CCC.



From RV insurance to extended warranties, JayPlus has it covered. Ask your Jayco dealer about our exclusive JayPlus program today.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and lealer-installed accessories that can be carried by the trailer, CCC is equal to or less than GWWR minus UW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight:



As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco or visit our website.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayoc affixes a weight label to each RV which lists weight informating for that vehicle. See specifications chart insidings that insiding the safe in the content of the content

Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com @ PVIA

See dealer for further information and prices. All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photos in this brochure may show optional equipment and props for photography purposes. RVs built for sale in Canada may differ to conform to Canadian codes. ©2012 Jayco, Inc. 13-JFSW-PL 1212-30K Printed in U.S.A.