



Jayco

Generations of family fun.



AMERICA'S

BEST-SELLING TRAVEL TRAILER!




ON EVERY FAMILY'S WISHLIST

Spacious slideouts. Check. Well-planned living areas. Check. Residential-style amenities. Check. The **2014 JAY FLIGHT** travel trailer continues to be America's #1 selling travel trailer for eight years in a row. With an endless list of high-end features, Jay Flight exceeds your family's every wish.

FLEXIBLE FOR FAMILIES

JAY FLIGHT 32RLDS | PLATINUM

Making the most of space, select model dinettes feature a removable ottoman and roomy storage below, making this U-dinette a family must.



8 CU. FT. FRIDGE

Pack a few gallons of milk. With an 8 cu. ft. double-door refrigerator, Jay Flight boasts more space than a typical 6 cu. ft. fridge.

AMPLE STORAGE

There's no shortage of durable storage thanks to Amish-crafted cabinetry, complete with full-extension, 75-lb. rated ball bearing drawer guides.

DENVER MATTRESS

The secret to a good night's sleep? Your RV. With Jay Flight's standard pillowtop Denver Mattress, you can tell those numbered sheep to give it a rest, too.

BUNK ROOMS

Jay Flight sleeps up to 12 thanks to multiple sleeping arrangements, featuring a variety of kid-friendly bunk room floorplans.

Superior craftsmanship starts at the top at Jayco.

We've built a reputation for superior construction and quality craftsmanship.

We pride ourselves on always using top-quality materials and innovative manufacturing techniques. That commitment has led to one of our latest construction advancements, the exclusive Magnum Truss Roof System. Fifty percent stronger than other roofs in the industry, this Jayco roof is built to weather Mother Nature.

OUR ROOF FEATURES ...

- 1 4 1/2" crowned wood trusses: Uses 2"x 2" vertical studs to maximize load capacity, while oversized nail plates provide a tighter design
- 2 3/8" roof decking, screwed down at every seam: More durable than typical stapled construction, provides a fully walkable roof
- 3 Residential attic-style insulation: Helps maintain interior temperatures
- 4 One-piece, sidewall-wrapped DiFlex II material: Provides leak protection







JAYCO'S ROOF



OTHER ROOFS



SCREWED CONSTRUCTION VS. STAPLED





OVERSIZED NAIL PLATES VS. SMALLER PLATES





2" X 2" VERTICAL WOOD STUDS VS. 1" ALUMINUM





7" HEADER BEAM VS. 2" X 6" LUMBER





4,500 LBS. ON A JAYCO ROOF VS. OTHER ROOFS

TO LEARN MORE ABOUT OUR THE MAGNUM TRUSS ROOF SYSTEM, SCAN HERE WITH YOUR SMARTPHONE.



WALL CONSTRUCTION

- 5 2" x 2" wooden studs: Creates Jay Flight's long-lasting framework
- 6 Hand-tucked and glued fiberglass insulation (R-7): Prevents insulation from sagging over time (vs. blanket-insulation technique), while helping increase insulation value near studs
- 7 Extra-wide corner seals: Prevents leaks on the corner molds, baggage/entrance doors, window seals

FLOOR CONSTRUCTION

- 8 5/8" tongue-and-groove plywood deck on 2" x 3" wooden floor joists: Moisture resistant, plywood holds up to the elements
- 9 Fiberglass insulation (R-7): Maintains interior
- **10** Full-width outriggers: Supports wall weight with no more than 4-foot spacing (vs. 8-foot spacing) and wall-to-wall, full-width design

FEATURES

- 11 Galvanized-steel wheel wells: Reduces heat loss through floor; prevents floor damage in case
- **12** WaterWorks system: Boasts 75-plus gallons of fresh water
- Innovative, aerodynamic front profile: Eliminates angled profile, increasing towability

STANDARDS AND OPTIONS







UTILITY LIGHTING SYSTEM

Every family needs a night light . Jay Flight provides light in all the right areas thanks to the standard utility lighting system, complete with entrance step light, baggage compartment light, hitch light and dump station light.

LED AWNING LIGHT

Jay Flight also features a new LED light strip on its optional electric awning to complete this patio package.





HIDE-A-BED

Your guests will rest well on a standard hide-a-bed sofa, complete with tri-fold Denver Mattress.







COMMAND CENTER

The command center hides all of your controls behind a convenient message board with 12V cell phone charger outlet.

BENCH STORAGE

Jay Flight is packed with innovative ways to maximize space, like the 28BHBE's versatile storage bench.

BLACK TANK FLUSH

You'll love Jay Flight's standard black tank flush, especially since our WaterWorks system comes with 75-plus gallons of fresh water.

STANDARD EXTERIOR EQUIPMENT

I-Class cambered structural-steel I-beam frame with fully integrated A-frame

Magnum Truss Roof System with one-piece seamless DiFlex II 5/8" tongue-and-groove plywood floor decking

Two-sided reflective foil insulation in flush-floor slideout floors Electric slideouts with enclosed gear system (slide models)

30" x 72" main entrance door

Utility lighting system

Exterior marine-grade speakers (2)

G20 dark-tint windows

Radial tires with galvanized-steel, impact-resistant wheel wells

E-Z Lube axles

Spare tire with carrier

Aerodynamic, rounded front profile with front diamond plate

30-amp power service

Black tank flush sprayer

WaterWorks system with 75+ gallon freshwater capacity and durable, winterized Tuff Pex water lines

Stabilizer jacks with sand pads (4)

STANDARD INTERIOR EQUIPMENT

Screwed-and-glued real-wood cabinetry

Ball bearing drawer guides, 75-lb. capacity and full-drawer extension

Large 60/40 acrylic kitchen sink with high-rise faucet

6-gal. gas/electric DSI Atwood water heater

3-burner range with 9,000-BTU SuperBurner and piezo igniter

8 cu. ft. Norcold double-door refrigerator

Atwood auto ignition furnace with wall thermostat

Cable/satellite prep

Denver Mattress pillowtop mattress

Plywood bed, dinette and bunk bases

J-Steel jack-knife sofa

Diamondflor vinyl flooring

Residential-grade carpet with padding

Porcelain stool with foot flush

300-lb. rated bunks (600-lb. rating on double bunks)

CUSTOMER VALUE PACKAGE (MANDATORY)

Dual 30-lb. propane bottles with easy access ABS cover

Outside shower

Water heater bypass

13.500-BTU air conditioner with directional/closeable vents

Microwave with built-in hood over range

Oven

ABS shower surround with bath skylight and fan

POWER PACKAGE

Power tongue jack

Power awning with LED light

THERMAL PACKAGE

Insulated, heated and enclosed underbelly and 2-sided reflective foil insulation in main roof and slideout floors

OPTIONS

Customer Value Package with 15,000-BTU air conditioner

Aluminum rims

Fiberglass sidewalls

Chil N' Stor outside baggage compartment with 1.7 cu. ft. exterior refrigerator (select models)

Electric stabilizer jacks

Roof ladder

Outside kitchen (select models)

Outside bumper-mount grill

Bike rack/cargo tray system (select models)

Technology Package: 26" LED HDTV (32" on 32RLDS, 40" on 34FKDS) and Premium Multi-Media Sound System with CD/DVD player (n/a on 33RLDS with Ledgestone fireplace option)

Free-standing table with 4 chairs (select models)

Swivel rockers in lieu of door-side sofa (2) (select models)
Door-side hide-a-bed sofa (33RLDS)

Hide-a-bed sofa with Denver Sleep System (most models)
Ledgestone fireplace with 32" LED HDTV (select models)

Linoleum living area (select models)

50-amp service (select models)

2nd air conditioner in bedroom (select models)

King bed (34FKDS)

Queen bed with bunk (19RD)

Trundle beds in lieu of J-Cube (select models)

J-Cube with folding bunk (33BHTS)

Double bunk over double bed (26BH)

PLATINUM



HAZELNUT



SANDALWOOD




- Sofa
- Accent
- 3 Bedspread 4 Carpet

FLOORPLANS



JAY FLIGHT | 19RD

Ext. Length: 23' 1" Ext. Height: 127" Unloaded Wt. (lbs.): 3,785 Sleeps: 4-7



JAY FLIGHT | 26BH

Ext. Length: 29' 1" Ext. Height: 126" Unloaded Wt. (lbs.): 4,505 Sleeps: 7-9



JAY FLIGHT | 32BHDS

Ext. Length: 35' 6" Ext. Height: 133" Unloaded Wt. (lbs.): 7,590 Sleeps: 8-10



JAY FLIGHT | 33RLDS OPTIONS: A, B, F

Ext. Length: 35' 5" Ext. Height: 134" Unloaded Wt. (lbs.): 7,885 Sleeps: 3-8



JAY FLIGHT | 22FB

Ext. Length: 26' 5" Ext. Height: 127" Unloaded Wt. (lbs.): 4,125 Sleeps: 4-6



JAY FLIGHT | 26RLS

Ext. Length: 30' Ext. Height: 134" Unloaded Wt. (lbs.): 6,145 Sleeps: 4-6



JAY FLIGHT | 32RLDS


Ext. Length: 35' 6" Ext. Height: 134" Unloaded Wt. (lbs.): 7,400 Sleeps: 3-6



JAY FLIGHT | 34FKDS OPTIONS: A, B, 0

Ext. Length: 37' 10" Ext. Height: 132" Unloaded Wt. (lbs.): 7,820 Sleeps: 3-6


OPTIONS





JAY FLIGHT | 24FBS

Ext. Length: 26' 11" Ext. Height: 132" Unloaded Wt. (lbs.): 4,860 Sleeps: 3-6



JAY FLIGHT | 28BHBE

Ext. Length: 33' 3" Ext. Height: 134" Unloaded Wt. (lbs.): 6,495 Sleeps: 8-10



JAY FLIGHT | 32TSBH

Ext. Length: 35' 6" Ext. Height: 133" Unloaded Wt. (lbs.): 7,855 Sleeps: 11-12



JAY FLIGHT | 36BHDS

Ext. Length: 37' 11" Ext. Height: 134" Unloaded Wt. (lbs.): 7,895 Sleeps: 8-10



JAY FLIGHT | 25RKS

Ext. Length: 28' 8" Ext. Height: 134" Unloaded Wt. (lbs.): 5,830 Sleeps: 4-6



JAY FLIGHT | 290BH OPTIONS: B, C

Ext. Length: 33' 3" Ext. Height: 134" Unloaded Wt. (lbs.): 6,415 Sleeps: 9-10



JAY FLIGHT | 33BHTS

Ext. Length: 36' 11" Ext. Height: 134" Unloaded Wt. (lbs.): 8,310 Sleeps: 6-10

EDECH WATER

S OUTSIDE STORAGE MICRO
TRAILER HITCH OHC
LAV BATHROOM SINK FRIDGE
WARD

MICRO MICROWAVE

OHC OVERHEAD CABINETS
FRIDGE REFRIGERATOR
WARD WARDROBE

CDAV

SPECIFICATIONS

19RD 23' 1" 96" 127" 81" 3,785 430 6,200 2,415 90 32.5 22FB 26' 5" 96" 127" 81" 4,125 510 6,500 2,375 90 32.5 24FBS 26' 11" 96" 132" 81" 4,860 535 7,500 2,640 90 32.5 25RKS 28' 8" 96" 134" 81" 5,830 735 8,400 2,570 86 65 26BH 29' 1" 96" 126" 81" 4,505 445 7,500 2,995 90 32.5 26RLS 30' 96" 134" 81" 6,145 850 8,500 2,355 86 32.5 28BHBE 33' 3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 29QBH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835	OILET/BLACK /ASTEWATER .PACITY (GAL.)	WA	TEWATER PACITY GAL.)	WASTI CAP	(GAL.) ATER	CAPACITY (I (WITH WA' HEATER	NG TY	CARRYIN CAPACIT (LBS.)	XX	GROSS VEHI WEIGHT RATING (LB	HT.	DRY HITO WEIGH (LBS.)	E	UNLOADI VEHICLI EIGHT (L	3	INTERIOI HEIGHT	EXTERIOR HEIGHT WITH A/C)		EXTERIO WIDTH		EXTERIOR LENGTH	FLOORPLAN
24FBS 26' 11" 96" 132" 81" 4,860 535 7,500 2,640 90 32.5 25RKS 28' 8" 96" 134" 81" 5,830 735 8,400 2,570 86 65 26BH 29' 1" 96" 126" 81" 4,505 445 7,500 2,995 90 32.5 26RLS 30' 96" 134" 81" 6,145 850 8,500 2,355 86 32.5 28BHBE 33' 3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 29QBH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850	32.5	1/	32.5	3	7///	90		2,415	4/1	6,200	7	430		3,785	7//	81"	127"	11	96"	И	23' 1"	19RD
25RKS 28'8" 96" 134" 81" 5,830 735 8,400 2,570 86 65 26BH 29'1" 96" 126" 81" 4,505 445 7,500 2,995 90 32.5 26RLS 30' 96" 134" 81" 6,145 850 8,500 2,355 86 32.5 28BHBE 33'3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 29QBH 33'3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35'6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35'6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 33BHTS 36'1" 96" 134" 81" 7,855 825 10,500 2,645	32.5		32.5	3		90		2,375		6,500		510		4,125		81"	127"		96"		26' 5"	22FB
26BH 29' 1" 96" 126" 81" 4,505 445 7,500 2,995 90 32.5 26RLS 30' 96" 134" 81" 6,145 850 8,500 2,355 86 32.5 28BHBE 33' 3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 29BH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		90		2,640		7,500		535		4,860		81"	132"		96"	1	26' 11"	24FBS
26RLS 30' 96" 134" 81" 6,145 850 8,500 2,355 86 32.5 28BHBE 33' 3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 290BH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,4	32.5		65	f		86		2,570		8,400		735		5,830		81"	134"		96"		28' 8"	25RKS
28BHBE 33' 3" 96" 134" 81" 6,495 700 9,250 2,755 86 32.5 29QBH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		90		2,995		7,500		445		4,505		81"	126"		96"		29' 1"	26BH
290BH 33' 3" 96" 134" 81" 6,415 800 9,250 2,835 86 32.5 32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,355		8,500		850		6,145		81"	134"		96"		30'	26RLS
32BHDS 35' 6" 96" 133" 81" 7,590 870 9,975 2,385 86 32.5 32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,755		9,250		700		6,495		81"	134"		96"		33' 3"	28BHBE
32RLDS 35' 6" 96" 134" 81" 7,400 980 10,250 2,850 86 32.5 32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,835		9,250		800		6,415		81"	134"		96"		33' 3"	29QBH
32TSBH 35' 6" 96" 133" 81" 7,855 825 10,500 2,645 86 32.5 33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,385		9,975		870		7,590		81"	133"		96"		35' 6"	32BHDS
33BHTS 36' 11" 96" 134" 81" 8,310 885 10,500 2,190 86 65 33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,850		10,250		980		7,400		81"	134"		96"		35' 6"	32RLDS
33RLDS 35' 5" 96" 134" 81" 7,885 1,060 10,300 2,415 86 32.5	32.5		32.5	3		86		2,645		10,500		825		7,855		81"	133"		96"		35' 6"	32TSBH
	32.5		65	F		86		2,190		10,500		885		8,310		81"	134"		96"	•	36' 11"	33BHTS
34FKDS 37'10" 96" 132" 81" 7,820 985 10,750 2,930 86 65	32.5		32.5	3		86		2,415		10,300)	1,060		7,885		81"	134"		96"		35' 5"	33RLDS
	32.5		65	f		86		2,930		10,750		985		7,820		81"	132"		96"		37' 10"	34FKDS
36BHDS 37'11" 96" 134" 81" 7,895 920 10,500 2,605 90 32.5	32.5		32.5	3		90		2,605		10,500		920		7,895		81"	134"		96"	X	37' 11"	36BHDS

The weights of certain options and/or option packages are not included in the UVW listed above.

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight." UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options, and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications chart above.

2-YEAR **WARRANTY**

Peace of mind comes standard



Nobody offers a better warranty than Jayco. With our exclusive 2-year Co-Pilot Warranty, the only strings we attach are those that deliver the ultimate in reliability. At Jayco, your peace of mind is our priority, and that's the Jayco difference.

*For a copy of our 2-year limited warranty with full terms and conditions, please contact your local Jayco dealer or visit Jayco.com.

300 JAYCO DEALERS

A four-decade strong network

From the sales experience to service after the sale, we consider our dealers to be an important part of the Jayco family. Establishing a solid relationship with your local Jayco dealer is a key component in the enjoyment of your new Jayco. By purchasing from a local dealer, you will have a convenient location for sales, parts and service support. We hope you consider them a part of your camping family.

Your local dealer

1-YEAR FREE

Roadside Assistance

Travel worry-free with Jayco's **Customer First Roadside** Assistance program, yours at no cost during your first year of ownership. This program is offered through Coach-Net, the country's largest RV emergency road service, and gives you immediate access to assistance.





THE JAYCO STORY BEGAN IN 1968 WITH OUR FAMILY—THE BONTRAGERS. Lloyd Bontrager created an innovative, easy-to-use lifter system that led to a better fold-down camper. Loaded with more conveniences, he believed his camper would bring families closer together.

Since then, Jayco has helped generation after generation create family stories — good, old-fashioned family fun built around campfires with a Jayco RV nearby. At Jayco, we strive to build family-friendly products that will outlast just about everything but your memories. We'd love nothing more than to be a part of your family story. Join us in our generations of family fun.

CCOadvantage**

Jayco's long-term commitment to protecting the environment



Scan this QR code with your smartphone to watch a video about our efforts and the impact we're making on our planet. jayco.com/ecoadvantage







Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com @ RVIA